

Operate With Integrity And Serve The World

SHANGHAI HXH STEEL

SHANGHAI HXH STEEL MANUFACTURING CO.,LTD



🌐 Web: hxxsteel.com

📍 Address: No.25, Lane 1688, North Guoquan Road, Yangpu District, Shanghai

CONCEPT CONTENTS

Web: www.hxhsteel.com/

ABOUT US

P01-P04

COMPANY PROFILE
CERTIFICATE

PRODUCT CENTER

P05-P24

CARBON STEEL

Carbon steel pipe
Carbon steel plate
Carbon steel coil
Carbon steel rod

GALVANIZED STEEL

Galvanized pipe
Galvanized coil
Galvanized sheet

PRE-PAINTED STEEL

PPGI/PPGL
Corrugated sheet

PROFILE STEEL

H-beam/l-beam
Angle steel

ALUMINIUM

Aluminium pipe
Aluminum plate
Aluminum coil

STAINLESS STEEL

Stainless steel pipe
Stainless steel coil
Stainless steel plate

TECHNOLOGY

P25-P26

INSPECTION INSTRUMENT
PRODUCTION EQUIPMENT, PROCESS

EXHIBITION

P27-P28

DOMESTIC AND FOREIGN EXHIBITIONS

ABOUT US



COMPANY PROFILE

30

MORE THAN 30 YEAR'S
EXPERIENCE

QUALITY

MULTIPLE INTENATIONAL
CERTIFICATIONS

SGS

THIRD PARTY INSPECTION
BEFORE DELIVERY

TEAM

MORE THAN 15 YEARS
EXPERIENCE IN FOREIGN
TRADE ON AVERAGE

SERVICE

7*24 QUICK RESPONSE
TO ANY NEEDS

FACTORY

FACTORY DIRECT SALES
SOURCE DELIVERY

Shanghai Hongxianghui Steel Manufacturing Co., Ltd. (HXH Steel), founded on March 21, 2021 is affiliated to Zhongye Group, the president unit of Liaocheng Steel Pipe Operators Association with the RMB 146 million paid-in capital. Zhongye Group is a modern enterprise integrating precision manufacturing, spot warehousing, international logistics, and deep processing. The indoor warehouse is more than 30,000 square meters, and the standing inventory is more than 70,000 tons. The company has more than 500 employees,mainly engaged in seamless pipes and seamless square pipes made of 20#, 45#, Q355B, 27SiMn, 40Cr, 42CrMo and other materials. It is listed as a high-quality supplier by most customers. We are also a long-term agent for seamless pipes produced by high-quality steel pipe manufacturers such as Baosteel, Hubei Xinye Steel, Tianhuai Steel Pipe, and Tianjin Seamless.Zhongye Group covers an area of more than 300 acres and has two seamles pipe production lines. It manufacture seamless pipes of various materials and specifications with an annual production capacity of more than 600,000 tons.

We sincerely welcome friends from all walks of life to visit and discuss cooperation.

CERTIFICATE



CE Certificate







ISO9001 Certificate



API Certificate



SGS Certificate




(PARTIAL CERTIFICATE, FOR SHOW ONLY)




CATEGORY



MAIN PRODUCT



SEAMLESS PIPE



PRECISION TUBE



WELDED PIPE STRAIGHT WELDED PIPE / SPIRAL WELDED PIPE



API PIPE



S


SEAMLESS PIPE



CARBON STEEL PIPE		
COMMON SIZE	OD	16-720mm
	Wall Thickness	2-100mm, Up to 200mm
	Length	6m-12m or as request
CATEGORY	Seamless Pipe/Welded Pipe/API Pipe/Precision Tube	
STANDARD	API/ASTM/ASME/DIN/GB/JIS/ASNI/BS	
USAGE	Transport routes for gas, oil, chemical materials, water,steam and other gas or liquid	
ENDS	Plained or Beveled or other requirements	
SURFACE	Bared, Black Painted, Galvanized, Oiled or as your requirements	
PACKAGE	1.In bundle with steel strips 2.As your requirement	
PACKING	Bundle, or with all kinds of colors PVC or as your requirements	

P

PRECISION TUBE



W

WELDED PIPE



STRAIGHT WELDED PIPE

SPIRAL WELDED PIPE


A

API PIPE



C

CARBON STEEL PLATE



CARBON STEEL PLATE		
COMMON SIZE	Technique	Hot rolled / Cold rolled
	Width(mm)	1000mm-4500mm, as Your Request
	Length	2000mm-18000mm,as Your Request
STANDARD	AISI/ASTM/DIN/JIS/GB/JIS/SUS/EN/ETC.	
MATERIAL	Q195/Q215/Q235/Q345/ST37/ A36/45# /16Mn/ SPHC/SGCC/CGCC	
ENDS	Slit edge/Mill edge	
SURFACE	Bared, Black Painted, Galvanized, Oiled or as your requirements	
THICKNESS	Hot Rolled Thickness:0.8mm-100mm	
	Cold Rolled Thickness:0.1mm-3mm	
	As Your Request	
PACKING	Standard seaworthy packing	

C

CARBON STEEL COIL



CARBON STEEL COIL		
COMMON SIZE	Technique	Hot rolled / Cold rolled
	Width(mm)	Normal width is 1219/1250/1500 mm or customized
	Thickness	0.1-12mm.HRC:1-12mm,CRC,0.1-3mm
STANDARD	GB/ASTM/JIS /AISI /EN	
STEEL GRADE	Q235/Q235B/Q345/Q345B/Q195/St37/St42/St37-2/St35.4/St52.4/st35 etc/Q195/Q215	
APPLICATION	Ship Plate, Boiler Plate, Container Plate, making pipes、 cold rolled steel products...	
PROCESSING SERVICE	Bending,Welding, Decoiling, Cutting, Punching	
MOQ	10 Tons	
PACKAGE	Standard Sea Worthy Package	
DELIVERY TIME	15-20 working days	

C

CARBON STEEL ROD



CARBON STEEL ROD	
TECHNIQUE	Hot rolled / Cold rolled
PRODUCT NAME	Carbon Steel Rod Mould Steel Round Rod
LENGTH	12m or customization
STEEL GRADE	Q235/Q345/1015/1045/20CR/40CR/42CRMO/12CRMOV/ETC.
MATERIAL	Carbon steel/Alloy steel
STANDARD	ASTM
TOLERANCE	±1%
APPLICATION	Structural Steel Rod
DIAMETER	6.5-500mm or customization
SURFACE TREATMENT	Heat treatment
MOQ	5 Tons

G

GALVANIZED PIPE



GALVANIZED PIPE	
PRODUCT NAME	Galvanized Steel Pipe
SECTION SHAPE	Round or square or rectangle
SURFACE TREATMENT	Galvanized
TECHNIQUE	SEAMLESS/ERW/SSAW
DIAMETER	DN15-DN200
MATERIALS	Q195/Q215/Q235/Q345/20#/Q345/20Cr/40Cr/ 20CrMo/30-35CrMo/42CrMo
STANDARDS	BS1387-1985/GB T3091-2001/EN39/BS1139
THICKNESS	1.0- 100 mm
LENGTH	5.8m,6.0m,12m or by customer's requirements
PROCESSING SERVICE	Punching, Cutting

G



GALVANIZED COIL



GALVANIZED COIL	
PRODUCT NAME	Galvanized Coil
WIDTH(MM)	600-1500mm or customized
THICKNESS	0.1-6.0mm
GRADE	DX51D/DX52D/S235GD/Q235/Q195
SPANGLE TYPE	Regular Spangle/Small Spangle/Big Spangle
STANDARD	ASTM/GB/AISI/JIS/DIN/EN/BS
ZINC COATING	20-275g/m ²
APPLICATION	making pipes, cutting sheets, making small tools, making corrugated sheets, making container, making fences
SURFACE TREATMENT	Coated Galvanized
PROCESSING	Provide Steel Process Service

G

GALVANIZED SHEET



GALVANIZED SHEET	
PRODUCT NAME	Galvanized Sheet
WIDTH(MM)	600-1500mm or customized
THICKNESS	0.1-6.0mm
LENGTH	1000-12000mm or customized
SPANGLE TYPE	Regular Spangle/Small Spangle/Big Spangle
STANDARD	ASTM/GB/AISI/JIS/DIN/EN/BS
ZINC COATING	20-275g/m ²
APPLICATION	making pipes, cutting sheets, making small tools, making corrugated sheets, making container, making fences
SURFACE TREATMENT	Coated Galvanized
CERTIFICATE	CE、SGS

P

PPGI / PPGL



PPGI / PPGL	
THICKNESS RANGE	0.10mm to 2.0mm
THICKNESS TYPE	Total Coating Thickness (TCT), Base Metal Thickness (BMT)
WIDTH	700mm to 1250mm or customer requirement,REGULAR WIDTH: 914mm, 1000mm, 1219mm, 1220mm, 1250mm OR BY CUSTOMER'S REQUIREMNTS
THICKNESS	Z20 to Z275/AZ20 to AZ275
COATING SURFACE CONDITION	Common Coating PPGI/PPGL
	Print Coating PPGI/PPGL
	Embossed PPGI/PPGL
CLASSED BY USAGE	Outdoor Construction/Indoor Construction/House hold appliance/Other
CERTIFICATION	ISO/SGS/BV/TUV/ETC.
SAMPLES	Free if available

C

CORRUGATED SHEET



CORRUGATED SHEET	
STANDARD	AISI/ASTM/BS/DIN/GB/JIS/JIS G3302/JIS G3312/GB/T-12754
MATERIAL	DX51D/DX52D/S350GD/S550GD
THICKNESS	0.1-3mm
WIDTH	600-1500 mm,Normal width is 914/1000/1219/1250/1500 mm
TYPE OF COATING PROCESS	Front:double coated&double drying;Back:double coated&double drying; single coated&double drying
ZINC COATING	20-275g/m ²
COLOR	Standard color:red,blue,white,grey Special color:according to RAL color or as customer's requires
PACKING	Tied up with steel strips and wrapped with water proof paper

H



H-BEAM / I-BEAM



<<<< H-BEAM/I-BEAM >>>>	
TECHNIQUE	Hot Rolled
MATERIAL	Q195,/Q215/Q235/Q345/ST37/A36/45#/16Mn
HEIGHT	200-1200mm
THICKNESS	5mm-60mm
LENGTH	6m-12m
SURFACE	Bare/Black/Oiled/Shot Blasted/Paint/ Galvanized/or as your request
STANDARD	AISI/ASTM/JIS/DIN/EN/BS/GB
DELIVERY TIME	15-20 working days
SURFACE	Painted,galvanized or as required
APPLICATION	Manufacturing cars and tractors,hoop iron, tools and mechanical parts, as building frame structure, escalator.

A

ANGLE STEEL



<<<< ANGLE STEEL >>>>	
STANDARD	ASTM / AISI / JIS / EN / DIN
GRADE	Q195-Q420 series
TYPE	Equal / Unequal
SIZE	20-200mm
THICKNESS	3-25mm
LENGTH	6/9/12m or other length based on demand
DELIVERY TIME	15-20 working days
APPLICATION	Engineering Structure,construction
PROCESSING SERVICE	Bending/Welding/Decoiling/Punching/Cutting
MOQ	5 Tons
SURFACE	Painted,Galvanized

A

ALUMINUM PIPE



ALUMINUM PIPE	
NAME	Aluminum Pipe
GRADE	1000-6000 series
DIAMETRE	10mm-320mm
THICKNESS	0.3-20mm
SHAPE	Round
SURFACE	Mill Finished/Powder Coated/Anodized/Polishing
LENGTH	1000-6000mm
HARDNESS	>95HB
ALLOY OR NOT	Is Alloy
TEMPER	T3 - T8

A

ALUMINIUM PLATE



ALUMINIUM PLATE	
GRADE	1000-6000 Series
TOLERANCE	±0.5%
TEMPER	O-H112/T3-T8/T351-T851
THICKNESS	0.12mm-260mm
WIDTH	20-2000mm
SURFACE	Coated/Embossed/Brushed/Polished/Anodized/etc
ALLOY OR NOT	Is Alloy
PROCESSING	Bending/Decoiling/Welding/Punching/Cutting
CERTIFICATION	ISO9001/CE
PACKAGE	Strong Sea Worthy Wooden Package
TYPE	Sheet/Plate/Panel

A

ALUMINUM COIL



ALUMINUM COIL	
TOLERANCE	±0.5%
GRADE	1000-6000 series
DELIVERY TIME	15-20 days
APPLICATION	Construction/Packing
WIDTH	600mm-2600mm
ALLOY OR NOT	Is Alloy
PROCESSING SERVICE	Bending/Decoiling/Welding/Punching/Cutting
THICKNESS	0.1-10mm
STANDARD	ASTM AISI JIS DIN GB
COLOR	Customer's Requirement

S

STAINLESS STEEL PIPE



STAINLESS STEEL PIPE	
PRODUCT NAME	Stainless Steel Pipe
MATERIAL	301/304/304L/304N/XM21/304LN/305/309S/310S/316/316Ti/316L 316N/316LN/317/317L/321/347/ETC.
SURFACE TREATMENT	Polishing/Annealing/Pickling/Bright
STEEL GRADE	200 series/300 series/400 series
SIZE	OD:6mm-508mm
	Thickness:0.25-3mm
	Length: as required
TECHNIQUE	Hot rolled and Cold rolled
APPLICATION	Widely used in petroleum,Foodstuff, Chemical industry, Construction, Electric power, Energy,Machinery, Biotechnology, Shipbuilding, Boiler fields.

A


STAINLESS STEEL COIL



STAINLESS STEEL COIL	
PRODUCT	Stainless Steel Coil
GRADE	201/202/304/304/309/309S/310S/316/316L/316Ti/317L/321/347H/409/409L/410 410S/420(420J1/420J2)/430/436/439/441/444/446
BRAND	TISCO/BAOSTEEL/POSCO/JISCO/LISCO/ETC.
THICKNESS	0.3mm-6mm(cold rolled),3mm-100mm(hot rolled)
WIDTH	1000mm,1219mm(4feet),1250mm,1500mm,1524mm(5feet),1800mm,2000mm or as your requirements.
APPLICATION	Interior/Exterior decoration; Architectur; Evevator; Kitchen; Ceiling; Cabinet; Advertising nameplate; Roof structure
SURFACE	Common: 2B, 2D, HL(Hairline), BA(Bright annealed), No.4.Colored: Gold mirror, Sapphire mirror, Rose mirror, black mirror, bronze

S

STAINLESS STEEL PLATE



STAINLESS STEEL PLATE	
PRODUCT NAME	Stainless Steel Plate
GRADE	200/300/400 series
STANDARD	GB/ASTM /JIS/ AISI / DIN/ EN
LENGTH	1000-6000mm
THICKNESS	0.15-100mm
WIDTH	600-2500mm
PROCESSING	Bending, Welding, Decoiling, Punching, Cutting
SURFACE	BA/2B/NO.1/NO.3/NO.4/8K/HL/2D/1D/ Embossed
CERTIFICATION	ISO 9001/CE
STEEL GRADE	301L, 301, 304N, 310S, S32305, 316Ti, 316L, 316, 321, S32304, 314, 347, 430, 304 204C2, 409L, 436, 304L, 405, 301LN, 317L


INSPECTION INSTRUMENT

www.hxhsteel.com




PRODUCTION EQUIPMENT

www.hxhsteel.com



PRODUCTION PROCESS



DOMESTIC AND FOREIGN EXHIBITIONS



SHANGHAI HXH STEEL



WARMLY WELCOME FRIENDS FROM ALL OVER THE WORLD
TO VISIT AND DISCUSS COOPERATION.

